

SANME

欧星 MP-S 系列履带移动式筛分站 MP-S Series Mobile Screening Plants

德国技术
German Technology



上海山美重型矿山机械有限公司 (德国哈兹马克合资公司)
SHANGHAI SANME MINING MACHINERY CO., LTD. (JV WITH HAZEMAG GERMANY)



上海山美重型矿山机械有限公司是中国领先的破碎筛分设备制造商，是德国哈兹马克公司在中国的合资公司。我们能够给客户id提供全系列破碎筛分设备和完整解决方案，产品包括圆锥破碎机、颚式破碎机、反击式破碎机、立式冲击破碎机（制砂机）、振动筛、细砂回收系统、轮式移动破碎站和履带移动式破碎筛分站。我们的目标是为全球客户提供值得信赖的产品和服务，为客户创造价值。

Shanghai Sanme Mining Machinery Co.,Ltd is a leading manufacturer of crushing and screening equipments in China, a joint venture with HAZEMAG Germany. We can offer full range of crushing and screening equipment, including cone crusher, jaw crusher, impacter, VSI (Sand Maker), screen, fine sand collecting system, portable crushing plant and mobile crushing and screening plants, but also provide total solutions. Our aim is to provide reliable products and services for global customers and create values for our customers.


欧星 MP-S 系列履带移动式筛分站 MP-S Series Mobile Screening Plants

欧星 MP-S 系列履带移动式筛分站采用德国技术设计和制造，达到了国际先进水平，在设计中广泛采用了世界上最先进的移动破碎筛分技术，能够完全满足客户的移动筛分要求，改变您的盈利模式。

Designed and manufactured with German technology, MP-S Series Mobile Screen Plants have reached the world advanced level. The plant adopts first level mobile crushing and screening technique, which fully meets the customers' requirement of high mobility, high screening efficiency and optimizes your business mode.

欧星 MP-S 系列履带移动式筛分站可以应用于： MP-S Series Mobile Screening Plants are applicable for:

- ◆ 矿物和硬岩筛分
- ◆ 砂石骨料生产
- ◆ 建筑垃圾处理
- ◆ Minerals and Hard Rock Crushing
- ◆ Aggregates Processing
- ◆ Construction Waste Recycling



技术参数: Technical Specifications:

欧星 MP-S 系列履带移动式筛分站 MP-S Series Mobile Screening Plants	MP-S152	MP-S153	MP-S181
筛箱规格 Screen Box (mm × mm)	1500 × 4500	1500 × 6100	1800 × 4800
层数 Deck	2 or 3	2 or 3	2 or 3
动力装置 Driving Unit			
发动机 Engine	Cummins or CAT	Cummins or CAT	Cummins or CAT
功率 Power (kw)	110	138	110
给料斗 Feed Hopper			
料斗容积 Hopper volume (m ³)	10	10	10
带式给料机 Belt Feeder			
驱动方式 Drive	液压 hydraulic	液压 hydraulic	液压 hydraulic
主皮带机 Main Conveyor Belt			
皮带宽度 Belt width (mm)	1200	1200	1200
驱动方式 Drive	液压 hydraulic	液压 hydraulic	液压 hydraulic
履带行走装置 Crawler Unit			
驱动方式 Drive	液压 hydraulic	液压 hydraulic	液压 hydraulic
外形尺寸和重量 Dimensions and Weights			
工作状态外形尺寸 Working dimensions			
- 长度 Length (mm)	16457	19800	16539
- 宽度 Width (mm)	14282	17800	14327
- 高度 Height (mm)	4199	7300	4238
运输状态外形尺寸 Transport dimensions			
- 长度 Length (mm)	14840	19500	15130
- 宽度 Width (mm)	2861	3300	3245
- 高度 Height (mm)	3461	3500	3574
重量 Weight (t)	26	39	29



上海山美重型矿山机械有限公司 (德国哈兹马克合资公司)
SHANGHAI SANME MINING MACHINERY CO., LTD. (JV WITH HAZEMAG GERMANY)



版权所有 翻印必究 中国印刷 Printed in China SANME-09-5C | MP-S | 2012-11 | 5000

地址：上海市奉贤区青村镇奉村路 258 号
邮编：201414
电话：021-5759 1166 5759 1188
传真：021-5756 6188 5820 0089
网址：www.shsmzj.com
电邮：info@sanmecrusher.com

Add: No.258, Fengcun Road, Qingcun County,
Fengxian District, Shanghai 201414, China
Tel: +86-21-5712 1166 5759 1188
Fax: +86-21-5756 6188 5820 0089
Website: www.sanmecrusher.com
E-mail: sales@sanmecrusher.com

免费热线：400 921 5566
售后专线：021-5712 7766

Free Hotline: 400 921 5566
Service Center: +86-21-5712 7766

- 我们的产品在不断的更新和改进中，我们保留在未事先告知用户的情况下，更改参数及设计的权利。
Our products are constantly updated and improved, we reserve the right to change parameters and design without advance notification of customers.
- 照片中产品外观颜色与实际机型存在差异，颜色标准以实物为准。
If there are any discrepancy and difference between color of product appearance and actual machine type in the picture, color standard is subject to actual object.
- 本手册中的配置不一定是出厂标准配置，购买时请详细咨询经销商。
Specifications and design in the brochures are not always the standard. Please consult our dealers or distributors particularly when purchasing.